10

What we claim is:


8. A compound of Formula 1:

$$R_{1}$$
 R_{2}
 R_{3}
 R_{13}
 R_{12}
 R_{11}
 R_{11}

or a pharmaceutically acceptable salt thereof, wherein;

n is 1 or 2;

 R_1 is haloalkyl or haloalkoxyalkyl with the proviso that R_1 is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which R_1 and R_2 are attached in radical Ia:



which radical Ia is a fragment of Formula I;

R₂ is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkenyl, haloalkenyl, haloalkenyloxyalkyl, haloalkoxyalkyl, haloalkoxyalkyl, haloalkoxyalkyl, haloalkoxyalkyl,

perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

R₃ is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl, alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

R₄, R₈, R₉, and R₁₃ are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl;

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl,

N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, 15 N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclyloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio,

20 alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl,

heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, 25 alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido, 30 alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

R5 and R6 are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

10

10

| ak

301

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group consisting of R_{10} , R_{11} , and R_{12} ;

 R_{10} and R_{11} are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of R₅, R₆, and R₇;

with the proviso that the groups R_5 and R_6 and the groups R_{10} and R₁₁ are not simultaneously taken together to form two rings;

with the further proviso that at least one of R₄, R₅, R₆, R₇, and R₈ is not hydrido or with the further proviso that at least one of R₉, R₁₀, R₁₁, R₁₂, and R₁₃ is not hydrido.

Compound of Claim 68 or a pharmaceutically acceptable salt thereof, wherein at least one of R₄, R₅, R₆, R₇, and R₈ is not hydrido and at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

Compound of Claim 69 or a pharmaceutically acceptable salt thereof, wherein; n is 1 or 2;

20

15

10

15

302

 R_1 is haloalkyl or haloalkoxyalkyl with the proviso that R_1 is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which R₁ and R₂ are attached in said fragment of the Formula I and with the further proviso that said haloalkyl has two or more halo substituents;

R₂ is hydrido;

R₃ is hydrido;

R₄, R₈, R₉, and R₁₃ are independently hydrido or halo;

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, heterocyclyloxy, aralkylaryl, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R₄, R₅, R₆, R₇, and R₈ is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

Compound of Claim 70 or a pharmaceutically acceptable salt 25 thereof, wherein;

n is 1:

R₁ is selected from the group consisting of trifluoromethyl,

1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R₂ is hydrido;

R₃ is hydrido;

5 R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;

R₅ and R₁₀ are independently selected from the group consisting of

- 4-aminophenoxy, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
- 4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
- 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
- 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
 - 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
 - 3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
 - 4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
 - 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
- 15 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
 - 4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
 - 2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,
 - cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentyl carbonyl,
 - cyclopropyl, cyclopropylmethoxy, cyclopropoxy,
- 20 2,3-dichlorophenoxy, 2,4-dichlorophenoxy, 2,4-dichlorophenyl,
 - 3,5-dichlorophenyl, 3,5-dichlorobenzyl, 3,4-dichlorophenoxy,
 - 3,4-difluorophenoxy, 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy,
 - 3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy, difluoromethoxy,
 - 3,5-difluorophenoxy, 3,4-difluorophenyl, 3,5-difluorobenzyloxy,
- 4-difluoromethoxybenzyloxy, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
 - 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
 - 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyl,
 - 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy,
 - 1,3-dioxan-2-yl, 1,4-dioxan-2-yl, 1,3-dioxolan-2-yl, ethoxy,
- 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy,
 - 3-ethyl-5-methylphenoxy, fluoro, 4-fluoro-3-methylbenzyl,
 - 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl, 4-fluorobenzyloxy,
 - 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,

- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
- 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 5 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
 - 4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,
 - 1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
 - 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
 - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
- 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
 - 4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
 - 3-methoxybenzyl, 4-methoxycarbonylbutoxy,
 - 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
 - 3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
- 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
 - 4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
 - 4-methylthiophenoxy, 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy,
 - 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,
 - pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,
- 20 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
 - 1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
 - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
 - 4-sec-butylphenoxy, tert -butoxy, 3-tert -butylphenoxy, 4-tert -butylphenoxy,
 - 1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
- 25 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
 - thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
 - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
 - 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
 - 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
 - 2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
 - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
 - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
 - 3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,
- 35 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
 - 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,

AZ

3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,

3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R₆ and R₁₁ are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, trifluoromethyl, and trifluoromethoxy;

 R_7 and R_{12} are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

10

72. Compound of Claim 71 or a pharmaceutically acceptable salt thereof, wherein;

n is 1:

R₁ is selected from the group consisting of trifluoromethyl,

difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R₂ is hydrido;

R3 is hydrido;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ and R₁₀ are independently selected from the group consisting of

- benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,
 - 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,
 - 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,
 - 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
 - 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
- 25 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
 - 4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl,
 - cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
 - cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,
 - 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,
- 30 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,
 - 3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,


- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
- 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
- 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,
- 3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
- 5 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
 - 4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,
 - 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
 - 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
 - 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
 - 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
 - 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
 - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,
 - 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
- 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
 - 4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenxyloxy,
 - 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
 - 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
 - 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
- 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
 - 2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,
 - 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
 - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
 - 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
- 25 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl,
 - thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
 - 2.2.2-trifluoroethyl, 3.3.3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
 - 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
 - 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
 - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
 - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
 - 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
 - 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
- 35 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
 - 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

AZ

 R_6 and R_{11} are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

R₇ and R₁₂ are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

6 3. Compound of Claim 76 of Formula II:



or a pharmaceutically acceptable salt thereof, wherein;

R₁ is haloalkyl;

R₄, R₈, R₉, and R₁₃ are independently hydrido or halo;

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl,

308

hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

74. Compound of Claim 73 or a pharmaceutically acceptable salt thereof, wherein;

10 R₁ is trifluoromethyl;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,

3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,

4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,

3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),

3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,

20 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R₁₀ is selected from the group consisting of cyclopentyl,

1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl, pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

 R_6, R_7, R_{11} , and R_{12} are independently hydrido or fluoro.

75. Compound of Claim 74 or a pharmaceutically acceptable salt thereof, wherein;

R₁ is trifluoromethyl;

HT

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,

3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

5 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,

4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,

3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),

3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,

3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

 R_{10} is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy, pentafluoroethyl, and trifluoromethyl;

R₆, R₇, R₁₁, and R₁₂ are independently hydrido or fluoro.

76. Compound of Claim 88 or a pharmaceutically acceptable salt thereof, wherein said compound is a compound of Formula III:

$$F_3C$$
 R_{5}
 R_{10}
 R_{10}
 R_{10}

wherein R_5 and R_{10} are selected to form a compound selected from the group consisting of;

R₅ is 3-isopropylphenoxy and R₁₀ is pentafluoroethyl;

R₅ is 2,3-dichlorophenoxy and R₁₀ is pentafluoroethyl;

A3

	R_5 is 3-trifluoromethoxyphenoxy and R_{10} is pentalluoroethyl;
	R ₅ is 4-fluorophenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 4-methylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 2-fluoro-5-bromophenoxy and R ₁₀ is pentafluoroethyl;
5	R ₅ is 4-chloro-3-ethylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-ethylphenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3,5-dimethylphenoxy and R_{10} is pentafluoroethyl;
A3	R ₅ is 3-t-butylphenoxy and R ₁₀ is pentafluoroethyl;
11/	R ₅ is 4-fluoro-3-methylphenoxy and R ₁₀ is pentafluoroethyl;
10	R_5 is 3,4-dichlorophenoxy and R_{10} is pentafluoroethyl;
	R ₅ is 5,6,7,8-tetrahydro-2-naphthoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is pentafluoroethyl;
	R ₅ is 3-difluoromethoxyphenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-dimethylaminophenoxy and R_{10} is pentafluoroethyl;
15	R ₅ is 3-cyclopropylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-(2-furyl)phenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-pentafluoroethylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 4-aminophenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3,4,5-trimethylphenoxy and R_{10} is pentafluoroethyl;
20	R_5 is 4-propoxyphenoxy and R_{10} is pentafluoroethyl;
	R ₅ is 3-trifluoromethylphenoxy and R ₁₀ is pentafluoroethyl;

	R_5 is 2-nitrophenoxy and R_{10} is pentafluoroethyl;
	R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
	R_5 is 3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
	R ₅ is 3,5-difluorobenzyloxy and R ₁₀ is pentafluoroethyl;
5	R_5 is cyclohexylmethyleneoxy and R_{10} is pentafluoroethyl;
	R ₅ is benzyloxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
AZ-	R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
. ,	R ₅ is 4-ethylbenzyloxy and R ₁₀ is pentafluoroethyl;
10	R ₅ is isopropoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-trifluoromethylbenzyl and R_{10} is pentafluoroethyl;
	R ₅ is isopropylthio and R ₁₀ is pentafluoroethyl;
	R ₅ is cyclopentoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-chloro-5-pyridinyloxy and R_{10} is pentafluoroethyl;
15	R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is pentafluoroethyl;
	R_5 is 3,4-dimethylbenzyloxy and R_{10} is pentafluoroethyl;
	R_{5} is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl
	R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl
	R ₅ is 4-isopropylbenzyloxy and R ₁₀ is pentafluoroethyl;
20	R_5 is 1-phenylethoxy and R_{10} is pentafluoroethyl;
	R ₅ is 4-fluoro-3-methylbenzoyl and R ₁₀ is pentafluoroethyl;

	R_5 is 3-trifluoromethylphenyl and R_{10} is pentafluoroethyl;
	R_5 is 4-methoxyphenylamino and R_{10} is pentafluoroethyl;
	R ₅ is 4-nitrophenylthio and R ₁₀ is pentafluoroethyl;
	R_5 is 3-isopropylphenoxy and R_{10} is trifluoromethyl;
5	R_5 is 2,3-dichlorophenoxy and R_{10} is trifluoromethyl;
	R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 4-fluorophenoxy and R ₁₀ is trifluoromethyl;
	R ₅ is 4-methylphenoxy and R ₁₀ is trifluoromethyl;
	R_5 is 2-fluoro-5-bromophenoxy and R_{10} is trifluoromethyl;
10	R ₅ is 4-chloro-3-ethylphenoxy and R ₁₀ is trifluoromethyl;
A3	R ₅ is 3-ethylphenoxy and R ₁₀ is trifluoromethyl;
	R_5 is 3,5-dimethylphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 3-t-butylphenoxy and R ₁₀ is trifluoromethyl;
	R ₅ is 4-fluoro-3-methylphenoxy and R ₁₀ is trifluoromethyl;
15	R_5 is 3,4-dichlorophenoxy and R_{10} is trifluoromethyl;
	R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is trifluoromethyl;
	R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethyl;
	R_5 is 3-difluoromethoxyphenoxy and R_{10} is trifluoromethyl;
	R_5 is 3-dimethylaminophenoxy and R_{10} is trifluoromethyl;
20	R_5 is 3-cyclopropylphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 3-(2-furyl)phenoxy and R ₁₀ is trifluoromethyl;

 R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethyl; R_5 is 4-aminophenoxy and R_{10} is trifluoromethyl; R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethyl; R_5 is 4-propoxyphenoxy and R_{10} is trifluoromethyl; 5 R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethyl; R_5 is 2-nitrophenoxy and R_{10} is trifluoromethyl; R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl; R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl; R_5 is 3,5-difluorobenzyloxy and R_{10} is trifluoromethyl; 10 R_5 is cyclohexylmethyleneoxy and R_{10} is trifluoromethyl; R_5 is benzyloxy and R_{10} is trifluoromethyl; R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethyl; R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl; R₅ is 4-ethylbenzyloxy and R₁₀ is trifluoromethyl; 15 R_5 is isopropoxy and R_{10} is trifluoromethyl; R_5 is 3-trifluoromethylbenzyl and R_{10} is trifluoromethyl; R_5 is isopropylthio and R_{10} is trifluoromethyl; R_5 is cyclopentoxy and R_{10} is trifluoromethyl; R_5 is 3-chloro-5-pyridinyloxy and R_{10} is trifluoromethyl; 20 R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is trifluoromethyl; R_5 is 3,4-dimethylbenzyloxy and R_{10} is trifluoromethyl;

	R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl
	R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl
	R ₅ is 4-isopropylbenzyloxy and R ₁₀ is trifluoromethyl;
	R ₅ is 1-phenylethoxy and R ₁₀ is trifluoromethyl;
5	R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is trifluoromethyl;
	R ₅ is 3-trifluoromethylphenyl and R ₁₀ is trifluoromethyl;
ho	R_5 is 4-methoxyphenylamino and R_{10} is trifluoromethyl;
MY	R ₅ is 4-nitrophenylthio and R ₁₀ is trifluoromethyl;
	R_5 is 3-isopropylphenoxy and R_{10} is trifluoromethoxy;
10	R_5 is 2,3-dichlorophenoxy and R_{10} is trifluoromethoxy;
	R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethoxy;
	R_5 is 4-fluorophenoxy and R_{10} is trifluoromethoxy;
	R ₅ is 4-methylphenoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 2-fluoro-5-bromophenoxy and R ₁₀ is trifluoromethoxy;
15	R ₅ is 4-chloro-3-ethylphenoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 3-ethylphenoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 3,5-dimethylphenoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 3-t-butylphenoxy and R ₁₀ is trifluoromethoxy;
	R_5 is 4-fluoro-3-methylphenoxy and R_{10} is trifluoromethoxy;
20	R ₅ is 3,4-dichlorophenoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 5,6,7,8-tetrahydro-2-naphthoxy and R ₁₀ is trifluoromethoxy;

	R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethoxy;
	R ₅ is 3-difluoromethoxyphenoxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3-dimethylaminophenoxy and R_{10} is trifluoromethoxy;
	R ₅ is 3-cyclopropylphenoxy and R ₁₀ is trifluoromethoxy;
5	R ₅ is 3-(2-furyl)phenoxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethoxy;
4.5	R ₅ is 4-aminophenoxy and R ₁₀ is trifluoromethoxy;
A>	R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethoxy;
	R_5 is 4-propoxyphenoxy and R_{10} is trifluoromethoxy;
10	R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethoxy;
	R ₅ is 2-nitrophenoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 3-trifluoromethoxybenzyloxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;
	R ₅ is 3,5-difluorobenzyloxy and R ₁₀ is trifluoromethoxy;
15	R ₅ is cyclohexylmethyleneoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is benzyloxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;
	R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethoxy;
	R_5 is 4-ethylbenzyloxy and R_{10} is trifluoromethoxy;
20	R ₅ is isopropoxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3-trifluoromethylbenzyl and R_{10} is trifluoromethoxy;

 R_5 is isopropylthio and R_{10} is trifluoromethoxy; R_5 is cyclopentoxy and R_{10} is trifluoromethoxy; R_5 is 3-chloro-5-pyridinyloxy and R_{10} is trifluoromethoxy; R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is trifluoromethoxy; 5 R_5 is 3,4-dimethylbenzyloxy and R_{10} is trifluoromethoxy; R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy; R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy; R_5 is 4-isopropylbenzyloxy and R_{10} is trifluoromethoxy; R_5 is 1-phenylethoxy and R_{10} is trifluoromethoxy; 10 AZ R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is trifluoromethoxy; R_5 is 3-trifluoromethylphenyl and R_{10} is trifluoromethoxy; R_5 is 4-methoxyphenylamino and R_{10} is trifluoromethoxy; R_5 is 4-nitrophenylthio and R_{10} is trifluoromethoxy; R_5 is 3-isopropylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 2,3-dichlorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 15 R_5 is 3-trifluoromethoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 4-fluorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 4-methylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 2-fluoro-5-bromophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 4-chloro-3-ethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 20 R_5 is 3-ethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 3,5-dimethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-t-butylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 4-fluoro-3-methylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3,4-dichlorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 5 R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is 1,1,2,2tetrafluoroethoxy; R_5 is 3-difluoromethoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-dimethylaminophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 10 R_5 is 3-cyclopropylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R₅ is 3-(2-furyl)phenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-pentafluoroethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 4-aminophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3,4,5-trimethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 15 R_5 is 4-propoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-trifluoromethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 2-nitrophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3,5-difluorobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 20 R_5 is cyclohexylmethyleneoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is benzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

	R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy
	R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R ₅ is 4-ethylbenzyloxy and R ₁₀ is 1,1,2,2-tetrafluoroethoxy;
	R ₅ is isopropoxy and R ₁₀ is 1,1,2,2-tetrafluoroethoxy;
5	R_5 is 3-trifluoromethylbenzyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R_5 is isopropylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R ₅ is cyclopentoxy and R ₁₀ is 1,1,2,2-tetrafluoroethoxy;
A3	R_5 is 3-chloro-5-pyridinyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy
10	R_5 is 3,4-dimethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-
tetrafl	uoroethoxy;
	R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-
tetrafl	uoroethoxy;
15	R_5 is 4-isopropylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R ₅ is 1-phenylethoxy and R ₁₀ is 1,1,2,2-tetrafluoroethoxy;
	R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R ₅ is 3-trifluoromethylphenyl and R ₁₀ is 1,1,2,2-tetrafluoroethoxy;
	R_5 is 4-methoxyphenylamino and R_{10} is 1,1,2,2-tetrafluoroethoxy; and
20	R_5 is 4-nitrophenylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy.

A pharmaceutical composition comprising a therapeutically effective amount of a compound or a pharmaceutically acceptable salt thereof, together with a pharmaceutically acceptable carrier, said compound being of Formula I:

$$R_{1}$$
 R_{2}
 R_{3}
 R_{13}
 R_{12}
 R_{11}
 R_{11}

5 wherein;

n is 1 or 2;

 R_1 is haloalkyl or haloalkoxyalkyl with the proviso that R_1 is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which R_1 and R_2 are attached in radical Ia:

R₁ (CH) n N (Ia),

which radical Ia is a fragment of Formula I;

R₂ is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkyl, haloalkenyl, halocycloalkyl, haloalkoxyalkyl, haloalkoxyalkyl, halocycloalkoxyalkyl,

15



perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

R₃ is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl, alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

R₄, R₈, R₉, and R₁₃ are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl;

10

5

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy,

alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl,

N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, 15 N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclyloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio,

alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, 20 amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl,

heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, 25 alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido, 30 alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

R₅ and R₆ are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

10

321

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group consisting of R_{10} , R_{11} , and R_{12} ;

 R_{10} and R_{11} are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of R_5 , R_6 , and R_7 ;

AZ

with the proviso that the groups R_5 and R_6 and the groups R_{10} and R_{11} are not simultaneously taken together to form two rings;

with the further proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido or with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

The pharmaceutical composition of Claim 77, wherein said compound is of Formula I, wherein at least one of R₄, R₅, R₆, R₇, and R₈ is not hydrido and at least one of R₉, R₁₀, R₁₁, R₁₂, and R₁₃ is not hydrido.

12

11

79. The pharmaceutical composition of Claim 78, wherein said compound is of Formula I, wherein;

n is 1 or 2;

20

25

322

 R_1 is haloalkyl or haloalkoxyalkyl with the proviso that R_1 is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which R_1 and R_2 are attached in said fragment of the Formula I and with the further proviso that said haloalkyl has two or more halo substituents;

R2 is hydrido;

R3 is hydrido;

R₄, R₈, R₉, and R₁₃ are independently hydrido or halo;

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, aralkanoylalkoxy, aralkanoylalkoxy, aralkanoylalkoxy, aralkanoylalkoxy, heterocyclylcarbonyl, heteroaralkoxy, heterocyclyloxy, aralkylaryl, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

80. The pharmaceutical composition of Claim 79, wherein said compound is of Formula I, wherein;

n is 1;

AZ

10

15

20



R₁ is selected from the group consisting of trifluoromethyl, 1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R₂ is hydrido;

5 R₃ is hydrido;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ and R₁₀ are independently selected from the group consisting of

4-aminophenoxy, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,

4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,

4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,

4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,

4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,

3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,

4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,

4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,

3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,

4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,

2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,

cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,

20 cyclopropyl, cyclopropylmethoxy, cyclopropoxy, 2,3-dichlorophenoxy,

2,4-dichlorophenoxy, 2,4-dichlorophenyl, 3,5-dichlorophenyl,

3,5-dichlorobenzyl, 3,4-dichlorophenoxy, 3,4-difluorophenoxy,

2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy, 3,4-difluorobenzyloxy,

2,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,

25 3,4-difluorophenyl, 3,5-difluorobenzyloxy, 4-difluoromethoxybenzyloxy,

2,3-difluorophenoxy, 2,4-difluorophenoxy, 2,5-difluorophenoxy,

3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy, 3,5-dimethylphenoxy,

3,4-dimethylphenoxy, 3,4-dimethylbenzyl, 3,4-dimethylbenzyloxy,

3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy, 1,3-dioxan-2-yl, 1,4-dioxan-2-yl,

30 1,3-dioxolan-2-yl, ethoxy, 4-ethoxyphenoxy, 4-ethylbenzyloxy,

3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy, fluoro,

A3

- 4-fluoro-3-methylbenzyl, 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl,
- 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,
- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 5 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
 - 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
 - 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
 - 4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,
 - 1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
- 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
 - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
 - 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
 - 4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
 - 3-methoxybenzyl, 4-methoxycarbonylbutoxy,
- 15 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
 - 3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
 - 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
- 4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
 - 4-methylthiophenoxy, 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy,
 - 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,

pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,

- 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
- 1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
- 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
- 4-sec-butylphenoxy, tert -butoxy, 3-tert -butylphenoxy, 4-tert -butylphenoxy,
 - 1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
 - 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
 - thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
 - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
- 30 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
 - 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
 - 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
 - 2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
 - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
- 35 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
 - 3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,

AZ

- 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
- 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
- 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
- 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
- 5 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

 R_6 and R_{11} are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, trifluoromethyl, and trifluoromethoxy;

R₇ and R₁₂ are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

AZ

15

The pharmaceutical composition of Claim 80, wherein said compound is of Formula I, wherein;

n is 1;

R₁ is selected from the group consisting of trifluoromethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R₂ is hydrido;

R3 is hydrido;

20 R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ and R₁₀ are independently selected from the group consisting of benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy, 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,

- 3-biomodenzytoxy, 4-biomophenoxy, 4-butoxyphenoxy, 3-emotocenzytox.
- 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,
- 25 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
 - 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
 - 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
 - 4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl,
 - cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
- 30 cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,
 - 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,

- 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,
- 3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,
- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
- 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
- 5 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,
 - 3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
 - 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
 - 4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,
 - 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
 - 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
 - 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
 - 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
 - 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
- 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,
 - 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
 - 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
 - 4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenxyloxy,
 - 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
- 20 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
 - 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
 - 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
 - 2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,
 - 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
- 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
 - 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
 - tetrahydrofuran-2-yl, 2-(5.6.7.8-tetrahydronaphthyloxy), thiazol-2-yl,
 - thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
 - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
- 30 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
 - 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
 - 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
 - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
 - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
- 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
 - 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,

10

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy, 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

 R_6 and R_{11} are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

 R_7 and R_{12} are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

82. The pharmaceutical composition of Claim 79, wherein said compound is of Formula II:

$$R_{5}$$
 R_{6}
 R_{7}
 R_{1}
 R_{13}
 R_{12}
 R_{11}
 R_{11}
 R_{11}
 R_{11}
 R_{11}
 R_{11}

wherein;

20

R₁ is haloalkyl;

15 R₄, R₈, R₉, and R₁₃ are independently hydrido or halo;

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy,

A3

¹ 5

328

alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

10 83. The pharmaceutical composition of Claim 22, wherein said compound is of Formula II, wherein;

R₁ is trifluoromethyl;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ is selected from the group consisting of 5-bromo-2-fluorophenoxy,

- 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,
 - 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,
 - 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,
 - 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,
 - 3-penta fluoroethyl phenoxy, 3-tert-butyl phenoxy,
- 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),
 - 3-trifluoromethoxy benzyloxy, 3-trifluoromethoxy phenoxy,
 - 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R₁₀ is selected from the group consisting of cyclopentyl,

- 1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl, pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;
 - R_6 , R_7 , R_{11} , and R_{12} are independently hydrido or fluoro.

30

20

329

84. The pharmaceutical composition of Claim 85, wherein said compound is of Formula II, wherein;

R₁ is trifluoromethyl;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

5 R₅ is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,

3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,

4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,

3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),

3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,

3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R₁₀ is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy, pentafluoroethyl, and trifluoromethyl;

R₆, R₇, R₁₁, and R₁₂ are independently hydrido or fluoro.

The pharmaceutical composition of Claim 7, wherein said compound is a compound of Formula III:

$$F_3C$$
 R_{5}
 R_{10}
 R_{10}
 R_{10}

wherein R_5 and R_{10} are selected to form a compound selected from the group consisting of;

	R_5 is 3-isopropylphenoxy and R_{10} is pentafluoroethyl;
	R ₅ is 2,3-dichlorophenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-trifluoromethoxyphenoxy and R_{10} is pentafluoroethyl;
	R ₅ is 4-fluorophenoxy and R ₁₀ is pentafluoroethyl;
5	R ₅ is 4-methylphenoxy and R ₁₀ is pentafluoroethyl;
12	R_5 is 2-fluoro-5-bromophenoxy and R_{10} is pentafluoroethyl;
H9	R ₅ is 4-chloro-3-ethylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-ethylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3,5-dimethylphenoxy and R ₁₀ is pentafluoroethyl;
10	R ₅ is 3-t-butylphenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 4-fluoro-3-methylphenoxy and R_{10} is pentafluoroethyl;
	R ₅ is 3,4-dichlorophenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is pentafluoroethyl;
	R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is pentafluoroethyl;
15	R ₅ is 3-difluoromethoxyphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-dimethylaminophenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-cyclopropylphenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-(2-furyl)phenoxy and R_{10} is pentafluoroethyl;
	R_5 is 3-pentafluoroethylphenoxy and R_{10} is pentafluoroethyl;
20	R ₅ is 4-aminophenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3,4,5-trimethylphenoxy and R_{10} is pentafluoroethyl;

	R ₅ is 4-propoxyphenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-trifluoromethylphenoxy and R_{10} is pentafluoroethyl;
	R ₅ is 2-nitrophenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
5	R_5 is 3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
	R_5 is 3,5-difluorobenzyloxy and R_{10} is pentafluoroethyl;
AZ	R_5 is cyclohexylmethyleneoxy and R_{10} is pentafluoroethyl;
	R ₅ is benzyloxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
10	R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
	R ₅ is 4-ethylbenzyloxy and R ₁₀ is pentafluoroethyl;
	R ₅ is isopropoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-trifluoromethylbenzyl and R_{10} is pentafluoroethyl;
	R_5 is isopropylthio and R_{10} is pentafluoroethyl;
15	R ₅ is cyclopentoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-chloro-5-pyridinyloxy and R_{10} is pentafluoroethyl;
	R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is pentafluoroethyl;
	R_5 is 3,4-dimethylbenzyloxy and R_{10} is pentafluoroethyl;
	R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl
20	R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl
	R ₅ is 4-isopropylbenzyloxy and R ₁₀ is pentafluoroethyl;

 R_5 is 1-phenylethoxy and R_{10} is pentafluoroethyl; R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is pentafluoroethyl; R_5 is 3-trifluoromethylphenyl and R_{10} is pentafluoroethyl; R_5 is 4-methoxyphenylamino and R_{10} is pentafluoroethyl; 5 R_5 is 4-nitrophenylthio and R_{10} is pentafluoroethyl; R_5 is 3-isopropylphenoxy and R_{10} is trifluoromethyl; R_5 is 2,3-dichlorophenoxy and R_{10} is trifluoromethyl; R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethyl; R_5 is 4-fluorophenoxy and R_{10} is trifluoromethyl; R_5 is 4-methylphenoxy and R_{10} is trifluoromethyl; 10 R_5 is 2-fluoro-5-bromophenoxy and R_{10} is trifluoromethyl; R_5 is 4-chloro-3-ethylphenoxy and R_{10} is trifluoromethyl; R_5 is 3-ethylphenoxy and R_{10} is trifluoromethyl; R_5 is 3,5-dimethylphenoxy and R_{10} is trifluoromethyl; R_5 is 3-t-butylphenoxy and R_{10} is trifluoromethyl; 15 R_5 is 4-fluoro-3-methylphenoxy and R_{10} is trifluoromethyl; R_5 is 3,4-dichlorophenoxy and R_{10} is trifluoromethyl; R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is trifluoromethyl; R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethyl; 20 R_5 is 3-difluoromethoxyphenoxy and R_{10} is trifluoromethyl; R_5 is 3-dimethylaminophenoxy and R_{10} is trifluoromethyl;

	R_5 is 3-cyclopropylphenoxy and R_{10} is trilluoromethyl;
	R_5 is 3-(2-furyl)phenoxy and R_{10} is trifluoromethyl;
	R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethyl;
	R_5 is 4-aminophenoxy and R_{10} is trifluoromethyl;
5	R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 4-propoxyphenoxy and R ₁₀ is trifluoromethyl;
40	R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethyl;
AZ	R ₅ is 2-nitrophenoxy and R ₁₀ is trifluoromethyl;
	R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl;
10	R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
	R_5 is 3,5-difluorobenzyloxy and R_{10} is trifluoromethyl;
	R_5 is cyclohexylmethyleneoxy and R_{10} is trifluoromethyl;
	R_5 is benzyloxy and R_{10} is trifluoromethyl;
	R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
15	R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl;
	R ₅ is 4-ethylbenzyloxy and R ₁₀ is trifluoromethyl;
	R ₅ is isopropoxy and R ₁₀ is trifluoromethyl;
	R_5 is 3-trifluoromethylbenzyl and R_{10} is trifluoromethyl;
	R ₅ is isopropylthio and R ₁₀ is trifluoromethyl;
20	R ₅ is cyclopentoxy and R ₁₀ is trifluoromethyl;
	R ₅ is 3-chloro-5-pyridinyloxy and R ₁₀ is trifluoromethyl;



 R_5 is 3,4-dimethylbenzyloxy and R_{10} is trifluoromethyl;

 R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;

 R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;

5 R_5 is 4-isopropylbenzyloxy and R_{10} is trifluoromethyl;

 R_5 is 1-phenylethoxy and R_{10} is trifluoromethyl;

R₅ is 4-fluoro-3-methylbenzoyl and R₁₀ is trifluoromethyl;

 R_5 is 3-trifluoromethylphenyl and R_{10} is trifluoromethyl;

 R_5 is 4-methoxyphenylamino and R_{10} is trifluoromethyl;

10 R_5 is 4-nitrophenylthio and R_{10} is trifluoromethyl;

 R_5 is 3-isopropylphenoxy and R_{10} is trifluoromethoxy;

 R_5 is 2,3-dichlorophenoxy and R_{10} is trifluoromethoxy;

 R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethoxy;

 R_5 is 4-fluorophenoxy and R_{10} is trifluoromethoxy;

R₅ is 4-methylphenoxy and R_{10} is trifluoromethoxy;

 R_5 is 2-fluoro-5-bromophenoxy and R_{10} is trifluoromethoxy;

 R_5 is 4-chloro-3-ethylphenoxy and R_{10} is trifluoromethoxy;

 R_5 is 3-ethylphenoxy and R_{10} is trifluoromethoxy;

 R_5 is 3,5-dimethylphenoxy and R_{10} is trifluoromethoxy;

R₅ is 3-t-butylphenoxy and R_{10} is trifluoromethoxy;

 R_5 is 4-fluoro-3-methylphenoxy and R_{10} is trifluoromethoxy;

 R_5 is 3,4-dichlorophenoxy and R_{10} is trifluoromethoxy; R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is trifluoromethoxy; R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethoxy; R_5 is 3-difluoromethoxyphenoxy and R_{10} is trifluoromethoxy; 5 R_5 is 3-dimethylaminophenoxy and R_{10} is trifluoromethoxy; R_5 is 3-cyclopropylphenoxy and R_{10} is trifluoromethoxy; R_5 is 3-(2-furyl)phenoxy and R_{10} is trifluoromethoxy; R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethoxy; R_5 is 4-aminophenoxy and R_{10} is trifluoromethoxy; R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethoxy; 10 R_5 is 4-propoxyphenoxy and R_{10} is trifluoromethoxy; R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethoxy; R_5 is 2-nitrophenoxy and R_{10} is trifluoromethoxy; R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is trifluoromethoxy; 15 R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy; R_5 is 3,5-difluorobenzyloxy and R_{10} is trifluoromethoxy; R_5 is cyclohexylmethyleneoxy and R_{10} is trifluoromethoxy; R_5 is benzyloxy and R_{10} is trifluoromethoxy; R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethoxy; 20 R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethoxy; R_5 is 4-ethylbenzyloxy and R_{10} is trifluoromethoxy;





R₅ is isopropoxy and R₁₀ is trifluoromethoxy;

 R_5 is 3-trifluoromethylbenzyl and R_{10} is trifluoromethoxy;

 R_5 is isopropylthio and R_{10} is trifluoromethoxy;

 R_5 is cyclopentoxy and R_{10} is trifluoromethoxy;

5 R_5 is 3-chloro-5-pyridinyloxy and R_{10} is trifluoromethoxy;

R5 is 3-trifluoromethylthiobenzyloxy and R10 is trifluoromethoxy;

 R_5 is 3,4-dimethylbenzyloxy and R_{10} is trifluoromethoxy;

 R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;

 R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;

10 A 2

 $R_{\mbox{\footnotesize 5}}$ is 4-isopropylbenzyloxy and R_{10} is trifluoromethoxy;

 R_5 is 1-phenylethoxy and R_{10} is trifluoromethoxy;

 R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is trifluoromethoxy;

 R_5 is 3-trifluoromethylphenyl and R_{10} is trifluoromethoxy;

 R_5 is 4-methoxyphenylamino and R_{10} is trifluoromethoxy;

R₅ is 4-nitrophenylthio and R_{10} is trifluoromethoxy;

 R_5 is 3-isopropylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 2,3-dichlorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 3-trifluoromethoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 4-fluorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

20 R_5 is 4-methylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

R₅ is 2-fluoro-5-bromophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 4-chloro-3-ethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-ethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3,5-dimethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-t-butylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 5 R_5 is 4-fluoro-3-methylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3,4-dichlorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is 1,1,2,2tetrafluoroethoxy; R_5 is 3-difluoromethoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 10 R_5 is 3-dimethylaminophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-cyclopropylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-(2-furyl)phenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-pentafluoroethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 15 R_5 is 4-aminophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3,4,5-trimethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 4-propoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-trifluoromethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 2-nitrophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 20 R_5 is 3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 3,5-difluorobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is cyclohexylmethyleneoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is benzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 5 R_5 is 4-ethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is isopropoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-trifluoromethylbenzyl and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is isopropylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is cyclopentoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; 10 R_5 is 3-chloro-5-pyridinyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 3,4-dimethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy; R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2tetrafluoroethoxy; 15 R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2tetrafluoroethoxy; R_5 is 4-isopropylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 1-phenylethoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;

20 R_5 is 3-trifluoromethylphenyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 4-methoxyphenylamino and R_{10} is 1,1,2,2-tetrafluoroethoxy; and

 R_5 is 4-nitrophenylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy.

86. A method of treating or preventing a CETP-mediated disorder in a subject by administering a therapeutically effective amount of a compound or a pharmaceutically acceptable salt thereof, said compound being of Formula I:

or a pharmaceutically acceptable salt thereof, wherein; n is 1 or 2;

 R_1 is haloalkyl or haloalkoxyalkyl with the proviso that R_1 is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which R_1 and R_2 are attached in radical law

10 attached in radical Ia:

15

$$R_1 = \begin{bmatrix} C & C & C & C \\ R_2 & R_3 & C \end{bmatrix}$$
(Ia),

which radical Ia is a fragment of Formula I;

R₂ is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkenyl, haloalkenyl, halocycloalkyl, haloalkoxyalkyl, haloalkoxyalkyl, halocycloalkoxyalkyl,

perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

R₃ is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl, alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

R₄, R₈, R₉, and R₁₃ are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl;

10 }2;

5

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl,

- N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclyloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio,
 alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy,
- 20 alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl,
- heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido, alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

R₅ and R₆ are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

10

341

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group consisting of R_{10} , R_{11} , and R_{12} ;

 R_{10} and R_{11} are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of R₅, R₆, and R₇;

with the proviso that the groups R_5 and R_6 and the groups R_{10} and R_{11} are not simultaneously taken together to form two rings;

with the further proviso that at least one of R₄, R₅, R₆, R₇, and R₈ is not hydrido or with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R₁₃ is not hydrido.

20 The method of Claim 86, wherein said compound is of Formula I, wherein at least one of R₄, R₅, R₆, R₇, and R₈ that is not hydrido and at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} that is not hydrido.

20 The method of Claim 87, wherein said compound is of Formula 25 I, wherein; n is 1 or 2;

15

 R_1 is haloalkyl or haloalkoxyalkyl with the proviso that R_1 is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which R_1 and R_2 are attached in said fragment of the Formula I and with the further proviso that said haloalkyl has two or more halo substituents;

R₂ is hydrido;

R₃ is hydrido;

 R_4 , R_8 , R_9 , and R_{13} are independently hydrido or halo;

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkanoylalkoxy, aralkanoylalkoxy, aralkenoyl, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, heterocyclyloxy, aralkylaryl, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

25 89. The method of Claim 88, wherein said compound is of Formula I, wherein;

R₁ is selected from the group consisting of trifluoromethyl,

10

5

115

20

rab

343

1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R2 is hydrido;

R₃ is hydrido;

5 R_4 , R_8 , R_9 , and R_{13} are independently hydrido or fluoro;

R₅ and R₁₀ are independently selected from the group consisting of

- 4-aminophenoxy, benzyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
- 4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
- 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
- 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
 - 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
 - 3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
 - 4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
 - 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
- 15 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
 - 4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
 - 2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,
 - cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,
 - cyclopropyl, cyclopropylmethoxy, cyclopropoxy,
- 20 2,3-dichlorophenoxy, 2,4-dichlorophenoxy, 2,4-dichlorophenyl,
 - 3,5-dichlorophenyl, 3,5-dichlorobenzyl, 3,4-dichlorophenoxy,
 - 3,4-difluorophenoxy, 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy,
 - 3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy, difluoromethoxy,
 - 3,5-difluorophenoxy, 3,4-difluorophenyl, 3,5-difluorobenzyloxy,
- 4-difluoromethoxybenzyloxy, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
 - 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
 - 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyl,
 - 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy,
 - 1,3-dioxan-2-yl, 1,4-dioxan-2-yl, 1,3-dioxolan-2-yl, ethoxy,
- 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy,
 - 3-ethyl-5-methylphenoxy, fluoro, 4-fluoro-3-methylbenzyl,
 - 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl, 4-fluorobenzyloxy,
 - 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,

- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
- 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 5 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
 - 4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,
 - 1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,
 - 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,
 - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,
- 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,
 - 4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,
 - 3-methoxybenzyl, 4-methoxycarbonylbutoxy,
 - 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,
 - 3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,
- 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,
 - 4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,
 - 4-methylthiophenoxy, 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy,
 - 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,
 - pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,
- 20 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,
 - 1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,
 - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,
 - 4-sec-butylphenoxy,tert -butoxy, 3-tert -butylphenoxy, 4-tert -butylphenoxy,
 - 1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,
- 25 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,
 - thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,
 - 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
 - 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
 - 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
 - 2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
 - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
 - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,
 - 3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,
- 35 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,
 - 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,

A3

(_) |--1 345

3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,

3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R₆ and R₁₁ are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, trifluoromethyl, and trifluoromethoxy;

R₇ and R₁₂ are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

10

73 27 99. The method of Claim 89, wherein said compound is of Formula I, wherein;

n is 1;

 R_1 is selected from the group consisting of trifluoromethyl,

difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R₂ is hydrido;

R₃ is hydrido;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

 R_5 and R_{10} are independently selected from the group consisting of

- 20 benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,
 - 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,
 - 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,
 - 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,
 - 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,
- 25 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,
 - 4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl, cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,

 - cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,
 - 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,
- 30 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,
 - 3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,

A3

- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
- 2.5-difluorophenoxy, 3.5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
- 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,
- 3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
- 5 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,
 - 4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,
 - 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,
 - 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
 - 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,
 - 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,
 - 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,
 - 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,
 - 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
- 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,
 - 4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenxyloxy,
 - 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,
 - 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,
 - 2-naphthyloxy, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
- 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,
 - 2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,
 - 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,
 - 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,
 - 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
- 25 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyloxy), thiazol-2-yl,
 - thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,
 - 2.2.2-trifluoroethyl, 3.3.3-trifluoro-2-hydroxypropyl, trifluoromethoxy,
 - 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
 - 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
 - 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,
 - 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,
 - 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,
 - 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
- 35 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,
 - 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

R₆ and R₁₁ are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

R₇ and R₁₂ are independently selected from the group consisting of 5 hydrido, fluoro, and trifluoromethyl.

The method of Claim 88, wherein said compound is of Formula II:

R₄ R₈ R_1 R₁₃ R₁₀ R₁₂ R₁₁

wherein;

R₁ is haloalkyl;

R₄, R₈, R₉, and R₁₃ are independently hydrido or halo;

R₅, R₆, R₇, R₁₀, R₁₁, and R₁₂ are independently selected from the

(II)

group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, 15 heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl, 20 cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl,

25

t=F

348

hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R_4 , R_5 , R_6 , R_7 , and R_8 is not hydrido and with the further proviso that at least one of R_9 , R_{10} , R_{11} , R_{12} , and R_{13} is not hydrido.

25 32. The method of Claim 1, wherein said compound is of Formula II, wherein;

10 R₁ is trifluoromethyl;

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,

3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,

4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,

3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),

3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,

20 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R₁₀ is selected from the group consisting of cyclopentyl, 1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl, pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

 R_6 , R_7 , R_{11} , and R_{12} are independently hydrido or fluoro.

The method of Claim 92, wherein said compound is of Formula II, wherein;

R₁ is trifluoromethyl;

H3

l=±

122

349

R₄, R₈, R₉, and R₁₃ are independently hydrido or fluoro;

R₅ is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,

3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

5 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,

4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,

3-pentafluoroethylphenoxy, 3-tert -butylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyloxy),

3-trifluoromethoxybenzyloxy,3-trifluoromethoxyphenoxy,

3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

 R_{10} is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy, pentafluoroethyl, and trifluoromethyl;

R₆, R₇, R₁₁, and R₁₂ are independently hydrido or fluoro.

94. The method of Claim %, wherein said compound is a compound of Formula III:

$$F_3C$$
 R_5
 R_{10}
 R_{10}

wherein R_5 and R_{10} are selected to form a compound selected from the group consisting of;

R₅ is 3-isopropylphenoxy and R₁₀ is pentafluoroethyl;

R₅ is 2,3-dichlorophenoxy and R₁₀ is pentafluoroethyl;

AZ

	R_5 is 3-trifluoromethoxyphenoxy and R_{10} is pentalluoroethyl;
	R ₅ is 4-fluorophenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 4-methylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 2-fluoro-5-bromophenoxy and R ₁₀ is pentafluoroethyl;
5	R ₅ is 4-chloro-3-ethylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-ethylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3,5-dimethylphenoxy and R ₁₀ is pentafluoroethyl;
AZ	R ₅ is 3-t-butylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 4-fluoro-3-methylphenoxy and R ₁₀ is pentafluoroethyl;
10	R ₅ is 3,4-dichlorophenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 5,6,7,8-tetrahydro-2-naphthoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is pentafluoroethyl;
	R ₅ is 3-difluoromethoxyphenoxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3-dimethylaminophenoxy and R_{10} is pentafluoroethyl;
15	R ₅ is 3-cyclopropylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-(2-furyl)phenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-pentafluoroethylphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 4-aminophenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3,4,5-trimethylphenoxy and R ₁₀ is pentafluoroethyl;
20 ·	R ₅ is 4-propoxyphenoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-trifluoromethylphenoxy and R ₁₀ is pentafluoroethyl;

	R_5 is 2-nitrophenoxy and R_{10} is pentafluoroethyl;
	R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
	R_5 is 3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
	R_5 is 3,5-difluorobenzyloxy and R_{10} is pentafluoroethyl;
5	R ₅ is cyclohexylmethyleneoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is benzyloxy and R ₁₀ is pentafluoroethyl;
	R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is pentafluoroethyl;
A3	R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is pentafluoroethyl;
, ,	R ₅ is 4-ethylbenzyloxy and R ₁₀ is pentafluoroethyl;
10	R ₅ is isopropoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-trifluoromethylbenzyl and R ₁₀ is pentafluoroethyl;
	R ₅ is isopropylthio and R ₁₀ is pentafluoroethyl;
	R ₅ is cyclopentoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 3-chloro-5-pyridinyloxy and R ₁₀ is pentafluoroethyl;
15	R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is pentafluoroethyl;
	R ₅ is 3,4-dimethylbenzyloxy and R ₁₀ is pentafluoroethyl;
	R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl
	R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is pentafluoroethyl
	R ₅ is 4-isopropylbenzyloxy and R ₁₀ is pentafluoroethyl;
20	R ₅ is 1-phenylethoxy and R ₁₀ is pentafluoroethyl;
	R ₅ is 4-fluoro-3-methylbenzoyl and R ₁₀ is pentafluoroethyl;

	R_5 is 3-trifluoromethylphenyl and R_{10} is pentafluoroethyl;
	R ₅ is 4-methoxyphenylamino and R ₁₀ is pentafluoroethyl;
	R ₅ is 4-nitrophenylthio and R ₁₀ is pentafluoroethyl;
	R_5 is 3-isopropylphenoxy and R_{10} is trifluoromethyl;
5	R_5 is 2,3-dichlorophenoxy and R_{10} is trifluoromethyl;
	R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 4-fluorophenoxy and R ₁₀ is trifluoromethyl;
A2	R ₅ is 4-methylphenoxy and R ₁₀ is trifluoromethyl;
11 '	R_5 is 2-fluoro-5-bromophenoxy and R_{10} is trifluoromethyl;
10	R_5 is 4-chloro-3-ethylphenoxy and R_{10} is trifluoromethyl;
	R_5 is 3-ethylphenoxy and R_{10} is trifluoromethyl;
	R_5 is 3,5-dimethylphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 3-t-butylphenoxy and R ₁₀ is trifluoromethyl;
	R_5 is 4-fluoro-3-methylphenoxy and R_{10} is trifluoromethyl;
15	R ₅ is 3,4-dichlorophenoxy and R ₁₀ is trifluoromethyl;
	R_5 is 5,6,7,8-tetrahydro-2-naphthoxy and R_{10} is trifluoromethyl;
	R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethyl;
	R_5 is 3-difluoromethoxyphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 3-dimethylaminophenoxy and R ₁₀ is trifluoromethyl;
20	R_5 is 3-cyclopropylphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 3-(2-furyl)phenoxy and R ₁₀ is trifluoromethyl;

	R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 4-aminophenoxy and R ₁₀ is trifluoromethyl;
	R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethyl;
	R_5 is 4-propoxyphenoxy and R_{10} is trifluoromethyl;
5	R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethyl;
	R ₅ is 2-nitrophenoxy and R ₁₀ is trifluoromethyl;
	R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl;
A3	R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
• • •	R ₅ is 3,5-difluorobenzyloxy and R ₁₀ is trifluoromethyl;
10	R ₅ is cyclohexylmethyleneoxy and R ₁₀ is trifluoromethyl;
	R ₅ is benzyloxy and R ₁₀ is trifluoromethyl;
	R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
	R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethyl;
	R ₅ is 4-ethylbenzyloxy and R ₁₀ is trifluoromethyl;
15	R ₅ is isopropoxy and R ₁₀ is trifluoromethyl;
	R_5 is 3-trifluoromethylbenzyl and R_{10} is trifluoromethyl;
	R ₅ is isopropylthio and R ₁₀ is trifluoromethyl;
	R ₅ is cyclopentoxy and R ₁₀ is trifluoromethyl;
	R ₅ is 3-chloro-5-pyridinyloxy and R ₁₀ is trifluoromethyl;
20	R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is trifluoromethyl;
	R ₅ is 3,4-dimethylbenzyloxy and R ₁₀ is trifluoromethyl;

	R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
	R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is trifluoromethyl;
	R ₅ is 4-isopropylbenzyloxy and R ₁₀ is trifluoromethyl;
	R ₅ is 1-phenylethoxy and R ₁₀ is trifluoromethyl;
5	R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is trifluoromethyl;
	R_5 is 3-trifluoromethylphenyl and R_{10} is trifluoromethyl;
	R ₅ is 4-methoxyphenylamino and R ₁₀ is trifluoromethyl;
A3	R ₅ is 4-nitrophenylthio and R ₁₀ is trifluoromethyl;
	R ₅ is 3-isopropylphenoxy and R ₁₀ is trifluoromethoxy;
10	R ₅ is 2,3-dichlorophenoxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3-trifluoromethoxyphenoxy and R_{10} is trifluoromethoxy;
	R_5 is 4-fluorophenoxy and R_{10} is trifluoromethoxy;
	R ₅ is 4-methylphenoxy and R ₁₀ is trifluoromethoxy;
	R_5 is 2-fluoro-5-bromophenoxy and R_{10} is trifluoromethoxy;
15	R_5 is 4-chloro-3-ethylphenoxy and R_{10} is trifluoromethoxy;
	R_5 is 3-ethylphenoxy and R_{10} is trifluoromethoxy;
	R_5 is 3,5-dimethylphenoxy and R_{10} is trifluoromethoxy;
	R ₅ is 3-t-butylphenoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 4-fluoro-3-methylphenoxy and R ₁₀ is trifluoromethoxy;
20	R ₅ is 3,4-dichlorophenoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 5,6,7,8-tetrahydro-2-naphthoxy and R ₁₀ is trifluoromethoxy;

	R_5 is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R_{10} is trifluoromethoxy;
	R_5 is 3-difluoromethoxyphenoxy and R_{10} is trifluoromethoxy;
	R_5 is 3-dimethylaminophenoxy and R_{10} is trifluoromethoxy;
	R_5 is 3-cyclopropylphenoxy and R_{10} is trifluoromethoxy;
5	R ₅ is 3-(2-furyl)phenoxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3-pentafluoroethylphenoxy and R_{10} is trifluoromethoxy;
	R ₅ is 4-aminophenoxy and R ₁₀ is trifluoromethoxy;
AZ	R_5 is 3,4,5-trimethylphenoxy and R_{10} is trifluoromethoxy;
	R ₅ is 4-propoxyphenoxy and R ₁₀ is trifluoromethoxy;
10	R_5 is 3-trifluoromethylphenoxy and R_{10} is trifluoromethoxy;
	R_5 is 2-nitrophenoxy and R_{10} is trifluoromethoxy;
	R_5 is 3-trifluoromethoxybenzyloxy and R_{10} is trifluoromethoxy;
	R_5 is 3-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;
	R_5 is 3,5-difluorobenzyloxy and R_{10} is trifluoromethoxy;
15	R ₅ is cyclohexylmethyleneoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is benzyloxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;
	R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is trifluoromethoxy;
	R ₅ is 4-ethylbenzyloxy and R ₁₀ is trifluoromethoxy;
20	R ₅ is isopropoxy and R ₁₀ is trifluoromethoxy;
	R ₅ is 3-trifluoromethylbenzyl and R ₁₀ is trifluoromethoxy;

	R_5 is isopropylthio and R_{10} is trifluoromethoxy;
	R ₅ is cyclopentoxy and R ₁₀ is trifluoromethoxy;
	R_5 is 3-chloro-5-pyridinyloxy and R_{10} is trifluoromethoxy;
	R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is trifluoromethoxy;
5	R_5 is 3,4-dimethylbenzyloxy and R_{10} is trifluoromethoxy;
	R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;
	R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is trifluoromethoxy;
AZ	R_5 is 4-isopropylbenzyloxy and R_{10} is trifluoromethoxy;
	R ₅ is 1-phenylethoxy and R ₁₀ is trifluoromethoxy;
10	R ₅ is 4-fluoro-3-methylbenzoyl and R ₁₀ is trifluoromethoxy;
	R_5 is 3-trifluoromethylphenyl and R_{10} is trifluoromethoxy;
	R_5 is 4-methoxyphenylamino and R_{10} is trifluoromethoxy;
	R ₅ is 4-nitrophenylthio and R ₁₀ is trifluoromethoxy;
	R_5 is 3-isopropylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
15	R_5 is 2,3-dichlorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R_5 is 3-trifluoromethoxyphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R_5 is 4-fluorophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R_5 is 4-methylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R_5 is 2-fluoro-5-bromophenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
20	R_5 is 4-chloro-3-ethylphenoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;
	R ₅ is 3-ethylphenoxy and R ₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3,5-dimethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-t-butylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-fluoro-3-methylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3,4-dichlorophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 5,6,7,8-tetrahydro-2-naphthoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-difluoromethoxyphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-dimethylaminophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-dimethylaminophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-cyclopropylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-(2-furyl)phenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3-pentafluoroethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-aminophenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 3,4,5-trimethylphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-propoxyphenoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy; $R_5 \text{ is 3-trifluoromethylphenoxy and R}_{10} \text{ is 1,1,2,2-tetrafluoroethoxy;}$ $R_5 \text{ is 2-nitrophenoxy and R}_{10} \text{ is 1,1,2,2-tetrafluoroethoxy;}$ $R_5 \text{ is 3-trifluoromethoxybenzyloxy and R}_{10} \text{ is 1,1,2,2-tetrafluoroethoxy;}$ $R_5 \text{ is 3-trifluoromethylbenzyloxy and R}_{10} \text{ is 1,1,2,2-tetrafluoroethoxy;}$

R₅ is 3,5-difluorobenzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy; R₅ is cyclohexylmethyleneoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy; R₅ is benzyloxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

ı...

ľ(j

z = l

358

 R_5 is 3,5-ditrifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 4-trifluoromethoxybenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 4-ethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

R₅ is isopropoxy and R₁₀ is 1,1,2,2-tetrafluoroethoxy;

5 R_5 is 3-trifluoromethylbenzyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is isopropylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is cyclopentoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 3-chloro-5-pyridinyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 3-trifluoromethylthiobenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 3,4-dimethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 2-fluoro-3-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 3-fluoro-5-trifluoromethylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

R₅ is 4-isopropylbenzyloxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 1-phenylethoxy and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 4-fluoro-3-methylbenzoyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 3-trifluoromethylphenyl and R_{10} is 1,1,2,2-tetrafluoroethoxy;

 R_5 is 4-methoxyphenylamino and R_{10} is 1,1,2,2-tetrafluoroethoxy; and

 R_5 is 4-nitrophenylthio and R_{10} is 1,1,2,2-tetrafluoroethoxy.

19

25. The method of Claim & further characterized by treating coronary artery disease in a subject by administering a therapeutically effective

A3

10

amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

 \sim

36. The method of Claim 36 further characterized by preventing coronary artery disease in a subject by administering a therapeutically effective amount of a compound of Claim 36 or a pharmaceutically acceptable salt thereof.

10

5

The method of Claim 86 further characterized by preventing cerebral vascular accident (CVA) in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

15

The method of Claim & further characterized by treating or preventing dyslipidemia in a subject by administering a therapeutically effective amount of a compound of Claim & or a pharmaceutically acceptable salt thereof.